



Agriculture Solutions

For installation, maintenance and repair



- Tension
- Brace
- Repair
- Anchor
- Terminate

Contents

Introduction	3
Fencing Solutions	4
Viticulture Solutions	6
Orchard Solutions	8
Product Range Overview	10
Tools & Accessories	11

Fencing

As market leader in the joining and tensioning of wire, Gripple is renowned for providing innovative, cost-effective solutions for wire fencing applications. Our products work with a wide variety of mild and tensile fencing wires - across barbed and plain fencing types, and on anything from stock to electric fencing, replacing traditional methods and generating time and labour savings.



Viticulture

In today's vineyards, the wires, posts, and machinery used are constantly being improved, and Gripple prides itself on being part of that evolution. The Gripple Plus product range, APEX anchors and GPAK bracing kits, along with the Torq Tensioning Tool and Contractor Tool, not only provides a trellising system that can be tensioned in seconds, but one that will last for decades.



Orchards

Our range of orchard products have been specifically developed to help with the support and protection of heavy fruit loads. Gripple's range of tensioners, tiebacks and anchors are suitable for use in a variety of terrain, structure and soil types.




Fencing Solutions

Gripple fencing products replace traditional methods, generating time and labour savings, and allowing for re-tensioning for the life of the fence.

Our range of products work with a wide variety of mild and high tensile fencing wires across all types of fencing.



Scan the QR code for more information about our fencing products.



Gripple Plus Range

Joins and tensions wires.



T-Clip

Secures fence wires at an end post.



DPAK

High load end post bracing for all types of fence.



GP Fix

Simple, fast and safe solution to repair fencing wires.



Barbed

Join and tension barbed wire.



GPAK

End post bracing for all types of fence.



Fencing Pin Kit

Secure and finish fencing runs on undulating ground, or where there is a risk of unwanted wildlife intrusions.



PostGrip

Eliminates the need for conventional tie-off knots around strainer posts.


Viticulture Solutions

Gripple viticulture range replaces traditional methods, generating time and labour savings.

Our range of products work with a wide variety of wires and posts, and are used in vineyards throughout the world.



Scan the QR code for more information about our trellising products.



Gripple Plus Range

Join and tension trellis wires.



GP No.1 & 2

Single-channel tensioner for use on metal posts.



GPAK

End post bracing for all types of trellis systems.



APEX

Anchoring for all vineyard soil types. Available with various tendon types.



VIT-S

Quick and easy way to manage fruiting wires.



Torq Tool

Compact, easy to handle, operate and carry. For precision tensioning up to 400 kg.



GP Fix

Simple, fast and safe solution to repair trellising wires.



PostGrip

Eliminates the need for conventional tie-off knots around end posts.


Orchard Solutions

Gripple orchard solutions replace traditional methods, generating time and labour savings.

Our range of orchard products have been specifically developed to help with the support and protection of heavy fruit loads.



Scan the QR code for more information about our orchard trellising products.



Jumbo

Increased load capacity and highly resistant to corrosion.



Gripple Plus Range

Join and tension trellis wires.



Concrete Post Kit

A universal kit for every concrete post. Faster than any traditional bracket.




Contractor Tool

Can be used with minimum effort to apply tension to each line wire.



DPAK

Quick and secure, high-load Dynamic bracing kit for trellis structures.



Dynamic Range

Offers high load ratings with an integral locking system for bracing trellis structures.



GP Fix

Simple, fast and safe solution to repair trellising wires.



GP90

Creates quick and easy overhead structures for cloth / net support, crop / down wires, or fruit canopy.

Product Range Overview



Gripple Plus Range - plain, field and electric

GP Small

1.40 - 2.20 mm wire
17 SWG - 14 SWG

MAX LOAD 300 kg

GP Medium

2.00 - 3.25 mm wire
14 SWG - 10 SWG

MAX LOAD 400 kg

GP Large

3.25 - 4.20 mm wire
10 SWG - 7½ SWG

MAX LOAD 600 kg

GP No.1 & No.2



GP No.1

1.80 - 3.00 mm wire
15 SWG - 11 SWG

MAX LOAD 400 kg

GP No.2

3.00 - 4.20 mm wire
10 ½ SWG - 7½ SWG

MAX LOAD 600 kg

T-Clip 1 & 2



Plain wire

1.80 - 4.20 mm wire

High tensile barbed

2 x 1.60 - 2 x 1.70 mm

Mild steel barbed

2 x 1.80 - 2 x 2.50 mm

GPAK



GPAK Classic 3

3.00 mm wire
Wire Length: 4.5 m

MAX LOAD 400 kg

GPAK Classic 4

4.00 mm wire
Wire Length: 5.0 m

MAX LOAD 600 kg

DPAK



DPAK 4

4.00 mm wire
Wire Length: 4.0 m

MAX LOAD 750 kg

DPAK 6

6.00 mm wire
Wire Length: 4.0 m

MAX LOAD 1750 kg

Barbed



Mild Steel

2 x 2.00 - 2 x 2.50 mm
2 x 14 - 2 x 12 ½ SWG

MAX LOAD 150 kg

Jumbo



2.50 - 3.15 mm wire
12 ½ SWG - 10 SWG

MAX LOAD 600 kg

APEX



Tendon types:

Wire, rod & fibre

Tendon lengths:

0.9 m, 1.5 m & 1.6 m

Load is dependent on soil quality.

VIT-S & VIT-S Kit



For wood or metal posts

1.40 - 2.20 mm wire
17 SWG - 12 ½ SWG

MAX LOAD 400 kg

GP Fix



1.40 - 2.20 mm wire
17 SWG - 14 SWG

MAX LOAD 300 kg

GP90



Boundary Cable / Bar Range

6.00 - 16.0 mm

Cross Wire Range

1.8 mm - 4.0 mm

MAX LOAD 600 kg


Tools & Accessories

Setting Key



The setting key allows Gripple tensioners to be repositioned on the wire before tension is applied.

Twister



The Twister secures the tail wire. Making the installation completely safe and hazard free, it gives a tidy and neat finish.

Contractor Tool



The all-metal Contractor Tool is strong, robust and built to withstand everyday wear and tear. Tension is easily applied to Gripple tensioners on up to 6 mm wire.

Torq Tool



The Torq Tool is lightweight, compact and tensions up to 6 mm Gripple tensioners. Designed with an in-built gauge, the tool measures the tension you wish to apply.

Wire Cutters



The Wire Cutters are suitable for cutting high tensile wire or wire rope. Available in two sizes: up to 4 mm diameter and up to 6 mm diameter.

Work Belt



The Gripple Work Belt is the perfect accessory for carrying your Gripple products and tools.

www.gripple.com

info@gripple.com

Gripple Ltd (Headquarters)

The Old West Gun Works
Savile Street East
Sheffield S4 7UQ
UK

T | +44 (0) 800 018 4264

F | +44 (0) 114 275 1155

E | info@gripple.com

Gripple Europe SARL

1, rue du Commerce
BP 37
67211 Obernai Cedex
France

T | +33 (0)3 88 95 44 95

F | +33 (0)3 88 95 08 78

E | frinfo@gripple.com

Gripple Inc

1611 Emily Lane
Aurora
IL 60502
USA

T | +1 866 474 7753

F | +1 800 654 0689

E | grippleinc@gripple.com

Gripple India

C-115, Industrial Area
Phase I, Naraina
New Delhi-110028
India

T | +91-11-45136817

F | +91-11-45136817

E | ininfo@gripple.com

Gripple Canada Inc

6665 Tomken Road
Units 9-10
Mississauga, ON L5T 2C4
Canada

T | +1 905 458 8700

F | +1 647 660 2096

E | cainfo@gripple.com

Gripple Japan K.K

2-57 Tsukuzi-cho
Hyogo-ku, Kobe-shi
Hyogo, 652-0845
Japan

T | +81 (0) 78 681 2121

F | +81 (0) 78 681 2122

E | japan@gripple.com

VOF-BROC-FEN-ENG-5564

Published July 2022

Please refer to www.gripple.com for the most up to date user advice and product information.




A GLIDE company



© 2022 Gripple.

Gripple is a registered trademark of Gripple Limited.
Company registered in England No. 1772901, VAT Reg No. GB 600 1951 88